



Specifications and technical data are subject to change without notice.
Please contact to confirm relevant information on ordering.

📍 No.18, Gutang Rd, Shanghai 201209, China
 ☎️ +86 21 5032 0898
 📠 +86 21 5032 0828
 ✉️ info@ebasee.com
 🌐 www.ebasee.com



Copy right reserved EBS. NO.2021001

Ebasee
Smart Living Green Ebasee



MODULAR TERMINAL



COMPANY PROFILE


As a leading supplier in the low voltage electrics industry, Shanghai Ebasee Electric Co., Ltd. products have been used for residential, commercial and industrial applications with its quality and service. EBASSEE brand is recognized for its quality and reliability in an ever-increasing number of markets worldwide. So far EBASSEE products have been approved by international labs including BV, TUV, Intertek, with KEMA, CB, SEMKO, RoHS, CE, and CCC etc.

With qualified raw materials and components supply, all products are manufactured by EBASSEE's defined international specifications. We have 4 semi-auto production lines, up-to-date quality control facilities, well-trained and experienced workers. Moreover, with a technical R & D team and fully equipped in-house laboratory, EBASSEE factory can carry out efficient new products development, daily production and QC.

EBASSEE have a wide range of cooperations with world leading companies in new products development, OEM and ODM cooperation. Meanwhile, we process the idea of green and smart energy, working with universities such as Xi'an Jiao Tong University to get more intelligent and environmental electric solutions.


EBASSEE focused on achieving growth through the success of worldwide partners. Guided by the philosophy of "market-oriented", powered by the idea of "Quick response and flexible supply", EBASSEE support our worldwide partners to compete against established global players, to deliver the most systematic and cost-effective products and service in the market.

"Smart life, Green EBASSEE"



Quality is our culture!

PRODUCTION LINE








SMART LIVING GREEN EBASEE



INTERNATIONAL QUALITY CERTIFICATE

EBASEE products have been approved by international labs including BV, TUV, Intertek, with KEMA, CB, SEMKO, RoHS, CE, and CCC etc.



1.Function

EBS-HT distribution box is in line with IEC 61439-3 and RoHS standard, attractive and durable, safe and reliable, which is widely used in various places such as factory, mansion, residence, shopping center and so on. The torque of the terminal screws: 2.5NM. It is suitable for outdoor installation, UV protection.



2.Nomenclature



3.Specifications

| Model | Module Number | Dimensions | | | Cable gland size |
|--------|---------------|------------|-------|-------|------------------|
| | | L(mm) | W(mm) | H(mm) | |
| EBS-HT | 5ways | 119 | 159 | 90 | PG19/PG29 |
| EBS-HT | 8ways | 201 | 155 | 90 | PG19/PG29 |
| EBS-HT | 12ways | 255 | 198 | 108 | PG19/PG29 |
| EBS-HT | 15ways | 309 | 198 | 108 | PG19/PG29 |
| EBS-HT | 18ways | 363 | 198 | 108 | PG19/PG29 |
| EBS-HT | 24ways | 415 | 300 | 140 | PG19/PG29 |

4.Normal Application and Installation Conditions

- Panel is the ABS material for the engineering, high strength, never change color, the transparent material is PC.
- Cover push-type opening and closing
Face covering of the distribution box adopts the push-type opening and closing mode, the face mask can be opened by pressing lightly, the self-locking positioning hinge structure is provided when opening.
- Wiring design of the power distribution box
The guide rail support plate can be lifted to the highest movable point, it is no longer limited by the narrow space when installing the wire. To install easily, the switch of the distribution box is set up with the wire groove and wire pipe exit-holes, which are easy to use for a variety of wire grooves and wire pipes.

5.Order Note

| Following items should be marked when ordering | Ordering sample |
|--|--|
| Product name, model | To order the EBS-HT Water Proof Distribution Box, Carton dimension |
| Carton dimension | is 119X159X90mm,Quantity is 100 pieces, should be marked: |
| Quantity | EBS-HT 119X159X90mm IP65 100pcs. |