

⚠ Specifications and technical data are subject to change without notice.
Please contact us to confirm relevant information on ordering.



Smart Living
Green Ebasee

Shanghai Ebasee Electric Co., Ltd

Add: No.18, Gutang Rd, Shanghai 201209, China

Tel: +86 21 5032 0898

Fax: +86 21 5032 0828

http: //www.ebasee.com

Email: service@ebasee.com



Copy right reserved EBS.NO.2026



Ebasee

POWER DISTRIBUTION BOX



Company

As a leading supplier in the low voltage electrical industry, Shanghai Ebasee Electric Co., Ltd. products have been used for residential, commercial and industrial applications. EBASEE brand is recognized for its quality and reliability in an ever-increasing number of markets worldwide.

EBASEE support our worldwide partners to compete against established global players, to deliver the most systematic and cost-effective products and service in the market.

"Smart Living, Green EBASEE"

30+

Years Experience



100+

Export Regions



8+

Overseas Branches



350+

Employees



40000+

Factory (m²)



3

Production Bases



Injection




Punching Machine



Manual Assembly

Global sales network map

Exported to over 100 countries worldwide, covering Europe, the Americas, Asia-Pacific, Middle East and Africa, our products are widely applied in data centers, ports, airports, and outdoor power distribution, delivering professional solutions.



Ebasee Distributors:

Latin Ameica



ECUADOR



DOMINICAN REPUBLIC



PERU



CHILE

Europe



ITALY



SPAIN



IRELAND



SLOVAKIA

Africa



TANZANIA



KENYA



GHANA



SEYCHELLES

Asia&Middle East



INDONESIA



THAILAND



PHILIPPINES



SAUDI ARABIA

POWER DISTRIBUTION BOXES WALL MOUNTED

IP67 enclosures wired IP44, IP54, and IP67 sockets for protection
IEC60529 IEC60309


**waterproof
dustproof
corrosion-proof**



Power Distribution Boxes

- Housing made of ABS plastic
- Hinged lid
- With external and internal fastening
- Top section straight, CEE sockets angled
- User-friendly operating window

Wall Mounted




Modules	6P
Size	mm
Height	260
Width	170
Depth	140

Pro.No. PDB-261714

Technical Specifications:

- Input**
1x3P+N+E 400V socket
- Output**
2x2P+E 230V SCHUKO socket
- Protection**
1x3P MCB, 2x1P MCB




Dimension	
Modules	6P
Size	mm
Height	260
Width	170
Depth	140

Power Distribution Boxes

- Housing made of ABS plastic
- Hinged lid
- With external and internal fastening
- Top section straight, CEE sockets angled
- User-friendly operating window

Wall Mounted



Modules	12P	12P
Size	mm	mm
Height	280	380
Width	280	280
Depth	155	155


Pro.No. PDB-282815

Technical Specifications:

Input
RCCB

Output
1x3P+N+E 400V socket
2x2P+E 230V SCHUKO socket

Protection
1x3P+N RCCB, 1x3P MCB, 2x1P MCB



Dimension

Modules	12P
Size	mm
Height	280
Width	280
Depth	155


Pro.No. PDB-283815

Technical Specifications:

Input
RCCB

Output
1x3P+N+E 400V socket
4x2P+E 230V SCHUKO socket

Protection
1x3P+N RCCB, 2x3P MCB




Dimension

Modules	12P
Size	mm
Height	380
Width	280
Depth	155

Power Distribution Boxes

- High-impact industrial plastic housing
- Transparent window for quick circuit status inspection
- Hinged lid
- Compact wall-mounted distribution box design
- Ergonomic CEE socket arrangement for easy connection

Wall Mounted



Modules	13P	13P/26P
Size	mm	mm
Height	330	430
Width	330	330
Depth	175	175


Pro.No. PDB-333317

Technical Specifications:

Input
MCB

Output
4x2P+E 230V socket

Protection
1x3P+N RCCB, 2x3P MCB



Dimension

Modules	13P
Size	mm
Height	330
Width	330
Depth	175


Pro.No. PDB-433317

Technical Specifications:

Input
MCB

Output
4x3P+N+E 400V socket
5x2P+E 230V SCHUKO socket

Protection
2x3P MCB, 7x1P MCB



Dimension

Modules	13P
Size	mm
Height	430
Width	330
Depth	175


Pro.No. PDB-433317A

Technical Specifications:

Input
RCBO

Output
3x3P+N+E 400V socket

Protection
1x4P RCBO, 3x3P MCB




Dimension

Modules	26P
Size	mm
Height	430
Width	330
Depth	175

Power Distribution Boxes

- High-impact industrial plastic housing
- Transparent window for quick circuit status inspection
- Hinged lid
- Compact wall-mounted distribution box design
- Ergonomic CEE socket arrangement for easy connection

Wall Mounted




Modules	26P
Size	mm
Height	530
Width	330
Depth	175

Pro.No. PDB-533317

Technical Specifications:

- Input**
RCBO
- Output**
3x3P+N+E 400V socket
4x2P+E 230V SCHUKO socket
- Protection**
1x4P RCBO, 3x3P MCB, 4x1P MCB




Dimension

Modules	26P
Size	mm
Height	530
Width	330
Depth	175

Pro.No. PDB-533317A

Technical Specifications:

- Input**
MCB
- Output**
5x3P+N+E 400V socket
- Protection**
5x3P MCB




Dimension

Modules	26P
Size	mm
Height	530
Width	330
Depth	175

Power Distribution Boxes

- High-Protection, Impact-Resistant Housing
- User-Friendly OTC Transparent Window
- Hinged lid
- Versatile Integrated Fastening System
- Portable handle

Wall Mounted




Modules	11P	14P
Size	mm	mm
Height	320	410
Width	270	300
Depth	105	105

Pro.No. PDB-322710

Technical Specifications:

- Input**
RCCB
- Output**
1x3P+N+E 400V socket
3x2P+E 230V SCHUKO socket
- Protection**
1x3P+N RCCB, 1x3P MCB, 3x1P MCB




Dimension

Modules	11P
Size	mm
Height	320
Width	270
Depth	105

Pro.No. PDB-413010

Technical Specifications:

- Input**
1x3P+N+E 400V plug
- Output**
2x3P+N+E 400V socket
8x2P+E 230V SCHUKO socket
- Protection**
1x3P+N RCCB, 8x1P MCB



Dimension

Modules	14P
Size	mm
Height	410
Width	300
Depth	105

POWER DISTRIBUTION BOXES PORTABLE & MOBILE

IP67 enclosures wired IP44, IP54, and IP67 sockets for protection
IEC60529 IEC60309


Flexible
temporary
power output



Power Distribution Boxes

- Integrated Portable Handle
- Slim & Vertical Profile
- User-Friendly OTC Transparent Window
- Rounded & Smooth Edges

Portable & Mobile



Modules	6P	6P
Size	mm	mm
Height	390	490
Width	142	142
Depth	95	95


Pro.No. PDB-391409

Technical Specifications:

Input
MCB

Output
2x2P+E 230V SCHUKO socket

Protection
1x3P MCB



Dimension	
Modules	6P
Size	mm
Height	390
Width	142
Depth	95

Power Distribution Boxes

Portable & Mobile


Pro.No. PDB-491409

Technical Specifications:

Input
MCB

Output
6x2P+E 230V SCHUKO socket

Protection
6x1P MCB



Dimension

Modules	6P
Size	mm
Height	490
Width	142
Depth	95


Pro.No. PDB-491409

Technical Specifications:

Input
MCB

Output
1x3P+N+E 400V socket
3x2P+E 230V SCHUKO socket

Protection
1x3P MCB, 3x1P MCB



Dimension

Modules	6P
Size	mm
Height	490
Width	142
Depth	95


Pro.No. PDB-491409

Technical Specifications:

Input
MCB

Output
1x3P+N+E 400V socket
2x2P+E 230V SCHUKO socket

Protection
1x3P MCB, 2x1P MCB




Dimension

Modules	6P
Size	mm
Height	490
Width	142
Depth	95

Power Distribution Boxes

Portable & Mobile

- Elevated Freestanding Base (High Ground Clearance)
- Hinged Clamshell Lid with Metal Latches
- Ergonomic Handle with Cable Winding Feature
- Multi-Sided Socket Layout (360° Access)
- High-Visibility Safety Housing



Modules	12P	24P	36P
Size	mm	mm	mm
Height	300	370	478
Width	230	340	340
Depth	287	330	330

Pro.No. PDB-302328-12


Technical Specifications:

Input
1x3P+N+E 400V plug

Output
2x3P+N+E 400V socket
5x2P+E 230V socket

Protection
4x3P+N RCBO, 1x3P MCB, 2x1P MCB

Color
Yellow box



Dimension

Modules	12P
Size	mm
Height	300
Width	230
Depth	287

Pro.No. PDB-302328-12


Technical Specifications:

Input
1x3P+N+E 400V plug

Output
2x3P+N+E 400V socket
5x2P+E 230V socket

Protection
4x3P+N RCBO, 1x3P MCB, 2x1P MCB

Color
Black box



Dimension

Modules	12P
Size	mm
Height	300
Width	230
Depth	287

Pro.No. PDB-373433-24


Technical Specifications:

Input
1x3P+N+E 400V plug

Output
2x3P+N+E 400V socket
5x2P+E 230V socket

Protection
4x3P+N RCBO, 1x3P MCB, 2x1P MCB

Color
Yellow box



Dimension

Modules	24P
Size	mm
Height	370
Width	340
Depth	330

Power Distribution Boxes

Portable & Mobile

Pro.No. PDB-373433-24


Technical Specifications:

Input
1x3P+N+E 400V plug

Output
2x3P+N+E 400V socket
5x2P+E 230V socket

Protection
4x3P+N RCBO, 1x3P MCB, 2x1P MCB

Color
Black box



Dimension	
Modules	24P
Size	mm
Height	370
Width	340
Depth	330

Pro.No. PDB-473334-36


Technical Specifications:

Input
1x3P+N+E 400V plug

Output
3x3P+N+E 400V socket
5x2P+E 230V socket

Protection
4x3P+N RCBO, 2x3P MCB, 5x1P MCB

Color
Yellow box



Dimension	
Modules	36P
Size	mm
Height	478
Width	340
Depth	330

Pro.No. PDB-473334-36


Technical Specifications:

Input
1x3P+N+E 400V plug

Output
3x3P+N+E 400V socket
5x2P+E 230V socket

Protection
4x3P+N RCBO, 2x3P MCB, 5x1P MCB

Color
Black box



Dimension	
Modules	36P
Size	mm
Height	478
Width	340
Depth	330

POWER DISTRIBUTION BOXES CUSTOMIZED

IP67 enclosures wired IP44, IP54, and IP67 sockets for protection
IEC60529 IEC60309


**Efficient
power
output**



Power Distribution Boxes

Customized

- High-Protection, Impact-Resistant Housing
- User-Friendly OTC Transparent Window
- Hinged lid
- Ergonomic Angled Socket Layout
- Versatile Integrated Fastening System
- Portable handle



Modules	2P	4P	4P
Size	mm	mm	mm
Height	175	175	175
Width	125	125	125
Depth	75	75	75


Pro.No. KT-171207

Technical Specifications:

Input
1x1P+N RCBO

Output
1x2P+E 230V socket

Protection
1x1P+N RCBO



Dimension

Modules	2P
Size	mm
Height	175
Width	125
Depth	75


Pro.No. KT-171207

Technical Specifications:

Input
2x1P+N RCBO

Output
2x2P+E 230V socket

Protection
2x1P+N RCBO



Dimension

Modules	4P
Size	mm
Height	175
Width	125
Depth	75


Pro.No. KT-171207

Technical Specifications:

Input
1x3P+N RCBO

Output
1x3P+N+E 400V socket

Protection
1x3P+N RCBO




Dimension

Modules	4P
Size	mm
Height	175
Width	125
Depth	75

Power Distribution Boxes

Customized

- High-Protection, Impact-Resistant Housing
- User-Friendly OTC Transparent Window
- Hinged lid
- Ergonomic Angled Socket Layout
- Versatile Integrated Fastening System
- Portable handle



Modules	6P
Size	mm
Height	200
Width	150
Depth	100


Pro.No. KT-201510

Technical Specifications:

Input
1x3P+N RCBO

Output
1x3P+N+E 400V socket
1x2P+E 230V socket

Protection
1x3P+N RCBO, 1x1P+N RCBO




Dimension

Modules	6P
Size	mm
Height	200
Width	150
Depth	100

Power Distribution Boxes

- Compact Rectangular Enclosure with Corner Fastening
- Top-Mounted Ergonomic Handle
- Wide Panoramic Transparent Window
- Strategic Multi-Surface Socket Layout (Front & Bottom)

Customized





Modules	12P	12P
Size	mm	mm
Height	380	380
Width	280	280
Depth	130	130

Pro.No. KT-382813

Technical Specifications:

- Input**
1x3P+N RCBO
- Output**
1x3P+N+E 400V socket
4x2P+E 230V SCHUKO socket
- Protection**
1x3P+N RCBO+MX, 1x4P MCB,
3x1P MCB, 1xLED
1xEmergency pushbutton Bracket





Dimension

Modules	12P
Size	mm
Height	380
Width	280
Depth	130

Pro.No. KT-382813

Technical Specifications:

- Input**
1x3P+N+E plug
- Output**
1x3P+N+E 400V socket
1x2P+E 230V socket
3x2P+E 230V SCHUKO socket
- Protection**
1x3P+N RCBO, 1x3P MCB,
2x1P MCB, 1xLED




Dimension

Modules	12P
Size	mm
Height	380
Width	280
Depth	130

Power Distribution Boxes

- Compact Rectangular Enclosure with Corner Fastening
- Top-Mounted Ergonomic Handle
- Wide Panoramic Transparent Window
- Strategic Multi-Surface Socket Layout (Front & Bottom)

Customized




Modules	13P
Size	mm
Height	460
Width	270
Depth	160

Pro.No. KT-462716

Technical Specifications:

- Input**
1x3P+N RCBO
- Output**
2x3P+N+E 400V socket
4x2P+E 230V socket
- Protection**
1x3P+N RCBO+MX, 3x1P MCB,
2x4P MCB, 1xLED
1xEmergency pushbutton Bracket



Dimension

Modules	13P
Size	mm
Height	460
Width	270
Depth	160